

## 新潟大学医学部放射線医学教室 業績 欧文論文 1999 年～1978 年

----1999----

1. Okamoto K, Ito J, Sakai K: Cicatrical fibromatosis mimics metastatic medulloblastoma. American Journal of Neuroradiology 20:472-473, 1999.
2. Seki H, Kimura M, Yoshimura N, Yamamoto S, Ozaki T, Sakai K: Hepatic arterial infusion chemotherapy using percutaneous catheter placement with an implantable port: Assessment of factors affecting patency of the hepatic artery. Clinical Radiology 54(4):221-227, 1999.
3. Okamoto K, Ito J, Ogawa R, Furusawa T, Sakai K, Tokiguchi S, Takagi M: Bilateral optic neuritis in a child diagnosed with Gd-enhanced MR imaging using fat-suppression technique. European Radiology 9:731-733, 1999.
4. Koide N, Matsumoto Y, Kosugi S, Chou D, Sakai K, Hatakeyama K, Niwa O, Kominami R: Accumulation of recombinant chromosomes and low fidelity of transmission of chromosome X DNA markers in  $\gamma$ -ray-induced lymphomas lacking p53. Molecular Carcinogenesis 24:57-63, 1999.
5. Tsuchida E, Sakai K, Matsumoto Y, Sugita T, Sasamoto R: Long-term results of radiotherapy for pituitary adenomas - evaluation of tumor control and hypopituitarism after radiotherapy. J Jpn Soc Ther Radiol Oncol 11:215-222, 1999.
6. Okamoto K, Ito J, Furusawa T, Sakai K, Tokiguchi S: Imaging of calvarial eosinophil granuloma. Neuroradiology 41:723-728, 1999.
7. Seki H, Kimura M, Yoshimura N, Yamamoto S, Ozaki T, Sakai K: Gastric toxicity related to perfusion of the stomach via the left inferior phrenic artery during hepatic arterial infusion chemotherapy: report of two cases. Radiation Medicine 17(6):435-438, 1999.
8. Odano I, Ohkubo M: Quantification of cerebral blood flow using technetium-99m ethyl cysteinate dimer and single-photon emission tomography. European Journal of Nuclear Medicine 26:246-252, 1999.
9. Maruyama H, Tanizawa T, Uchiyama S, Higuchi T, et al.: Magnetic Resonance Imaging of Pseudotumors of the Cranivertebral Junction in Long-Term Hemodialysis Patients. American Journal Nephrology 19:541-545, 1999.
10. Odano I, Ohkubo M, Yokoi T: Noninvasive quantification of cerebral blood flow using  $^{99m}\text{Tc}$ -ECD and SPECT. J Nucl Med 40(10):1737-1744, 1999.
11. Tuchida M, Yamato Y, Aoki T, Watanabe T, Koizumi N, Emura I, and Hayashi J: CT-Guided Agar Marking for localization of nonpalpable peripheral pulmonary lesions. Chest 116:139-143, 1999.

----1998----

1. Okamoto K, Ito J, Furusawa T, Sakai K, Ono K, Watanabe M, Tokiguchi S: Quiz case of the month: Cerebral deep vein thrombosis. European Radiology 8:319-320, 1998.
2. Okamoto K, Ito J, Furusawa T, Sakai K, Horikawa S, Tokiguchi S: MRI of enlarged endolymphatic sacs in the large vestibular aqueduct syndrome. Neuroradiology 40:167-172, 1998.
3. Furusawa T, Okamoto K, Ito J, Kojima N, Oyanagi K, Tokiguchi S, Sakai K: Primary central nervous system lymphoma presenting as diffuse cerebral infarction. Radiation Medicine 16:137-140, 1998.
4. Furusawa T: Differentiation of Germinomas from Other Tumors in the Pineal Region with CT and MR imaging, with Special Reference to Extension Patterns to the Thalamus. Acta Medica et Biologica 46:25-33, 1998.
5. Matsumoto Y, Kosugi S, Shinbo T, Chou D, Ohashi M, Wakabayashi Y, Sakai K, Okumoto M, Mori N, Aizawa S, Niwa T, Kominami R: Allelic loss analysis of  $\gamma$ -ray-induced mouse thymic lymphoma: two candidate tumor suppressor gene loci on chromosomes 12 and 16. Oncogene 16:2747-2754, 1998.
6. Seki H, Kimura M, Yoshimura N, Ozaki T, Sakai K: Hepatic arterial infusion chemotherapy with 5-fluorouracil-based regimens in the management of liver metastases of colorectal carcinoma. International Journal of Clinical Oncology 3:171-175, 1998.

7. Nakanishi H, Tomita Y, Myoui A, Yoshikawa H, Sakai K, Kato Y, Ochi T, Aozasa K: Mutation of the p53 gene in postradiation sarcoma. *Laboratory Investigation* 78:727-733, 1998.
8. Teshima T, Abe M, Ikeda H, Hanks GE, Owen JB, Yamada S, Sakai K, Mori T, Nishimura T, Mitomo M, Todo G, Hamanaka D, Koishi M, Okazaki Y: Patterns of care study of radiation therapy for cervix cancer in Japan: The influence of the stratification of institution on the process. *Japanese Journal of Clinical Oncology* 28:388-395, 1998.
9. Okamoto K, Ito J, Furusawa T, Sakai K, Tokiguchi S: Reversible hyperintensity of the anterior pituitary gland on T1-weighted MR images in a patient receiving temporary parenteral nutrition. *American Journal of Neuroradiology* 19(7):1287-1289, 1998.
10. Nakayama M, Kamura T, Kimura M, Seki H, Tsukada K, Sakai K: Quantitative MRI of hepatocellular carcinoma in cirrhotic and noncirrhotic livers. *Clinical Imaging* 22:280-283, 1998.
11. Okamoto K, Ito J, Furusawa T, Sakai K, Watanabe M, Tokiguchi S: Small cortical infarcts mimicking metastatic tumors. *Clinical Imaging* 22:333-338, 1998.
12. Okamoto K, Ito J, Emura I, Kawasaki T, Furusawa T, Sakai K, Tokiguchi S: Focal orbital amyloidosis presenting as rectus muscle enlargement: CT and MR findings. *American Journal of Neuroradiology* 19:1799-1801, 1998.
13. Tanisada K, Teshima T, Ikeda H, Abe M, Yamashita T, Nishio M, Inoue T, Hiraoka M, Hirokawa Y, Oguchi M, Yamada S, Sakai K, Nishimura T, Chatani M: Prognostic factors for patients with esophageal cancer treated with radiation therapy in PCS: A preliminary study. *Radiation Medicine* 16:461-468, 1998.
14. Yoshimura N, et al.: Coronary Artery Anomalies with a Shunt: Evaluation with Electron-Beam CT. *Journal of Computer Assisted Tomography* 22(5):682-686, 1998.
15. Seki H, Kimura M, Yoshimura N, Yamamoto S, Ozaki T, Sakai K: Development of extrahepatic arterial blood supply to the liver during hepatic arterial infusion chemotherapy. *European Radiology* 8:1613-1618, 1998.
16. Aoyama H, Inakoshi H, et al.: Retrospective multi-institutional study of radiotherapy for intracranial non-germinomatous germ cell tumors. *Radiotherapy and Oncology* 49:55-59, 1998.
17. Aoyama H, Inakoshi H, et al.: Pathologically-proven intracranial germinoma treated with radiation therapy. *Radiotherapy and Oncology* 47(2):201-205, 1998.

----1997----

1. Morita K, Fuwa N, Sakai K, et al.: Radical radiotherapy for medically inoperable non-small cell lung cancer in clinical stage I: a retrospective analysis of 149 patients. *Radiotherapy and Oncology* 42:31-36, 1997.
2. Inakoshi H, Sakai K, Sueyama H, et al.: Analysis of factors influencing local control of medulloblastoma. *J Jpn Soc Ther Radiol Oncol* 9(3):195-203, 1997.
3. Nakayama M, Sakai K, et al.: Value of low-dose gallium-67 imaging in detection of non-Hodgkin's lymphoma recurrence. *Radiation Medicine* 15:79-83, 1997.
4. Okamoto K, Ito J, Furusawa T, Sakai K, Tokiguchi S, et al.: Solitary plasmacytomas of the occipital bone: a report of two cases. *European Radiology* 7:503-506, 1997.
5. Okamoto K, Ito J, Furusawa T, Sakai K, Tokiguchi S: "Pseudoocclusion" of the internal carotid artery: a pitfall on intracranial MRA. *Journal of Computer Assisted Tomography* 21:831-833, 1997.
6. Okamoto K, Ito J, Tokiguchi S, Furusawa T, Nishihara M: Arachnoid granulations of the posterior fossa: CT and MR findings. *Clinical Imaging* 21:1-5, 1997.
7. Okamoto K, Ito J, Furusawa T, Sakai K, Tokiguchi S: Large vestibular aqueduct syndrome with high CT density and high MR signal intensity. *American Journal of Neuroradiology* 18:482-484, 1997.
8. Okamoto K, Ito J, Furusawa T, Sakai K, Tokiguchi S, Homma A, Koike R, Tsuji S: CT and MR findings of neuroacanthocytosis. *Journal of Computer Assisted Tomography* 21:221-222, 1997.

9. Yoshikawa K, Fukuda Y, Ohashi M, Okamoto H, Hatakeyama K, Sugawara M, Namura O, Watanabe T, Yamamoto K, Sato K, Watanabe I and Kimura M: Spontaneous hemorrhages from two arteries preceding rupture of a hepatic artery aneurysm: a possible case of multiple congenital visceral aneurysms. *Acta Medica et Biologica* 45:33-38, 1997.
10. Sueyama H, Sakai K, Sugita T, Ito T, Uematsu T, Nishimaki T, Kaizu M: Neoadjuvant chemotherapy followed by concurrent chemotherapy and radiotherapy for locally advanced esophageal carcinoma with bulky upper abdominal lymphadenopathy: case report. *American Journal of Clinical Oncology* 20:580-584, 1997.
11. Tsuchida E, Tsuchida M, Urano M: Synergistic Cytotoxicity between a protein kinase C inhibitor, UCN-01, and monoclonal antibody to the epidermal growth factor receptor on MDA-468 cells. *Cancer Biotherapy & Radiopharmaceuticals* 12:117-121, 1997.
12. Tsuchida E, Urano M: The effect of UCN-01 (7-Hydroxystaurosporine), a potent inhibitor of protein kinase C, on fractionated radiotherapy or daily chemotherapy of a murine fibrosarcoma. *International Journal of Radiation Oncology Biology Physics* 39:1153-1161, 1997.
13. St. Clair DK, Wan XS, Kuroda M, Vichitbandha S, Tsuchida E, Urano M: Suppression of tumor metastasis by manganese superoxide dismutase is associated with reduced tumorigenicity and elevated fibronectin. *Oncology Reports* 4:753-757, 1997.
14. Seki H, Kimura M, Sakai K: Myometrial invasion of endometrial carcinoma: assessment with dynamic MR and contrast-enhanced T1-weighted images. *Clinical Radiology* 52:18-23, 1997.
15. Seki H, Azumi R, Kimura M, Sakai K: Stromal invasion by carcinoma of the cervix: assessment with dynamic MR imaging. *American Journal of Roentgenology* 168:1579-1585, 1997.
16. Ohkubo M, Odano I, et al.: A comparative study of simple methods to measure regional cerebral blood flow using Iodine-123-IMP SPECT. *J Nucl Med* 38:597-601, 1997.
17. Odano I, Ohkubo M, et al.: Quantification of cerebral blood flow and partition coefficient using Iodine-123-iodoamphetamine. *J Nucl Med* 38:1248-1253, 1997.
18. Takahashi M, Odano I, Fujita S, Ohkubo M: 125I-iomazenil binding shows stress-and/or diazepam-induced reductions in mouse brain : Supporting date for 123I-iomazenil SPECT study of anxiety disorders. *Annals of Nuclear Medicine* 11:243-250, 1997.
19. Wakabayashi Y, Kikkawa Y, Matumoto Y, Shinbo T, Kosugi S, Chou D, Furuya M, Jishage K, Noda T, Yonekawa H, and Kominami R: Genetic and physical delineation of the region of the mouse deafness mutation shaker-2. *Biochemical and Biophysical Research Communications* 234:107-110, 1997.
20. Hideaki T, Matsuzaki Y, et al.: Desquamated Gallbladder Mucosa: Follow-up Findings by Ultrasonography. *Acta Medica Biologica* 45:179-181, 1997.

-----1996-----

1. Higuchi S, Fujita S, Sakai K et al.: Radiosensitization of FM3A cells by 5-fluorouracil plus cisplatin. *Acta Med Biol* 44:141-145, 1996.
2. Seki H, Kimura M, Sakai K et al.: Hepatic perfusion abnormalities during treatment with hepatic arterial infusion chemotherapy; Value of CT arteriography using an implantable port system. *J Comput Assist Tomogr* 20(3):343-348, 1996.
3. Okamoto K, Ito J, Tokiguchi S, Furusawa T: High-resolution CT findings in the development of the sphenoooccipital synchondrosis. *American Journal of Neuroradiology* 17:117-120, 1996.
4. Okamoto K, Ito J, Tokiguchi S, Furusawa T, Yoshida S, Tanaka R, Iwanaga K, Oyanagi K: Development of fat within a meningioma. *Neuroradiology* 38:214-216, 1996.
5. Okamoto K, Ito J, Furusawa T, Sakai K: Intratumoral flow void in pituitary adenoma. *American Journal of Roentgenology* 167:1070-1071, 1996.
6. Okamoto K, Ito J, Tokiguchi S, Furusawa T: Atrophy of bilateral extraocular muscles, CT and clinical features of seven patients. *Journal of Neuro-Ophthalmology* 16:286-288, 1996.

7. Nishimura, H, Nozawa, S, et al.: Effect of transgenic mixed-haplotype MHC class II molecules A alpha d A beta z on autoimmune disease in New Zealand mice. *Int Immunol* 8:967-976, 1996.
8. Takahashi K, Odano I, Takahashi N: Redistribution on I-123 IMP SPECT in children and adolescents with partial seizures. *Clin Nucl Med* 21:227-235, 1996.
9. Iida H, Odano I, Ohkubo M, et al.: A multicenter validation of regional cerebral blood flow quantitation using [<sup>123</sup>I]iodoamphetamine and single photon emission computed tomography. *J Cereb Blood Flow Metab* 16:781-793, 1996.
10. Saito T, et al.: Immunohistochemistry of cyclin D3 in pulmonary carcinomas. *Virchow Archives* 428:159-163, 1996.
11. Shojaku H, Seto H, Kakishita M, Yokoyama M, Ito J: Use of MR angiography in a pregnant patient with thalamic AVM. *Radiation Medicine* 14:159-161, 1996.
12. Odano I, Anezaki T, Ohkubo M, Yonekura Y, Onishi Y, Inuzuka T, Takahashi M, Tsuji S: Decrease in benzodiazepine receptor binding in a patient with Angelman syndrome detected by iodine-123 iomazenil and single-photon emission tomography. *Eur J Nucl Med* 23(5):598-604, 1996.

-----1995-----

1. Sakai K, Inakoshi H, Sueyama H, Oda J, Ito T, Tsuchida E, Sugita T, Matsumoto Y, Saito M, Saito A: Concurrent radiotherapy and chemotherapy with protracted continuous infusion of 5-fluorouracil in inoperable esophageal squamous cell carcinoma. *Int J Radiation Oncology Biol Phys* 31(4):921-927, 1995.
2. Koizumi N, Akita S, Sakai K et al.: Cloudy nodule on HRCT, A new clinico-radiologic entity of pulmonary adenocarcinoma. *Radiation Medicine* 13(6):273-278, 1995.
3. Koizumi N, Akita S, Sakai K, Oda J, Tsukada H, Usuda H, Emura I, and Naito M.: Classification of air density areas in CT-pathologic correlation of pulmonary adenocarcinoma. *Radiation Medicine* 13:279-284, 1995.
4. Ohkubo, M, Odano, I, Takahashi, N, Sakai, K: Can the microsphere model be applied to cerebral blood flow measurement using N-isopropyl-p-[<sup>123</sup>I] iodoamphetamine with SPECT regardless of washout from brain tissue -. *Nuclear Medicine Communications* 16:1026-1033, 1995.
5. Ohkubo M, Odano I, Takahashi N, Sakai K: Quantitative assessment of cerebral blood flow measurement using the microsphere model with N-isopropyl-p-[<sup>123</sup>I] iodoamphetamine SPECT : simulation analysis for the influence of washout from brain tissue. *Acta Med Biol* 43:165-171, 1995.
6. Fujita S, Sakai K, Higuchi S, Sueyama H, Ohkubo M: Combined effect of radiation and 5-fluorouracil on survival of FM3A mouse mammary adenocarcinoma cells. *Bull Coll Biomed Technol Niigata Univ* 5:265-265, 1995.
7. Odano I, Fujita M, Takahashi N, et al.: A potential use of a <sup>123</sup>I-labelled benzodiazepine receptor antagonist as a predictor of neuronal cell viability: comparisons with <sup>14</sup>C-labelled 2-deoxyglucose autoradiography and histopathological examination. *Nucl Med Commun* 16:443-446, 1995.
8. Takeuchi S, Odano I, et al.: Frequent TIA in the territory fed by the anastomosed STA after combined therapeutic ICA occlusion and extracranial-intracranial bypass: case report. *Acta Neurochir* 133:206-210, 1995.
9. Odano I, Ohkubo M, Takahashi N, et al.: Evaluation cerebral blood flow in patients with idiopathic orthostatic hypotension using Tc-99m HMPAO SPECT during postural testing. *Clin Nucl Med* 20:807-809, 1995.
10. Koizumi N, Takeaki F, Yoshihisa O, Naito M, Emura I, Sato K, Hirono T, Suzuki E: Pulmonary myxoid leiomyosarcoma. *Pathology International* 45:879-884, 1995.
11. Okamoto K, Ito J, Tokiguchi S, Kuwabara G, Nishihara M: Peculiar enlargement of the nasopharynx in patients with anorexia nervosa. *Neuroradiology* 37:674-678, 1995.
12. Odano I, Takahashi N, at al.: Evaluation of cerebral blood flow in patients with idiopathic hypotension using Tc-99m HNPAO brain SPECT during postural testing. *Clin Nucl Med* 20:807-809, 1995.

13. Gejyo F, Kazama JJ, Hasegawa S, Nishi S, Arakawa M, Odano I:  $^{131}\text{I}$ -beta 2-microglobulin scintigraphy in patients with dialysis amyloidosis. *Clin Nephrol* 44Suppl:S14-18, 1995.
14. Odano I: Distribution Volume of  $[^{123}\text{I}]$ -IMP and Benzodiazepine Receptor Bindings of  $[^{123}\text{I}]$ -Iomazenil in Patients with Parkinson's Disease. *BRAIN HEART TUMOR IMAGING*:95-100, 1995

----1994----

1. Yamada S, Kakuto Y, Sakamoto K, Inakoshi H, Tsuchida E, Sakai K, et al.: An analysis of autopsied esophageal carcinomas treated with irradiation. *J Jpn Soc Ther Radiol Oncol* 6:21-27, 1994.
2. Kuwabara T, Watanabe H, Tanaka K, Tsuji S, Ohkubo M, Ito T, Sakai K, et al.: Mitochondrial encephalopathy; Elevated visual cortex lactate unresponsive to photic stimulation - a localized  $^1\text{H}$ -MRS study. *Neurology* 44:557-559, 1994.
3. Takahashi N, Odano I, Nishihara M, Yuasa T, Sakai K: Regional cerebral blood flow measured with N-isopropyl-p-[ $^{123}\text{I}$ ] iodoamphetamine single-photon emission tomography in patients with Joseph disease. *Eur J Nucl Med* 21:615-620, 1994.
4. Odano I, Ohkubo M, Takahashi N, Higuchi T: A new method of regional cerebral blood flow measurement using one-point arterial sampling based one-point arterial sampling based on the microsphere model with N-isopropyl-p-[ $^{123}\text{I}$ ] iodoamphetamine SPECT. *Nucl Med Commun* 15:560-564, 1994.
5. Odano I: New graphic method for evaluation of distribution volume on N-isopropyl-p-( $^{123}\text{I}$ ) iodoamphetamine on SPECT. *Digest-Parkinson/Alzheimer*. 6:10-11, 1994.
6. Fujii Y, Takeuchi S, Koike T, Nishimaki K, Ito Y, Tanaka R, Okamoto K: Heparin Administration and Monitoring for Neuroangiography. *American Journal of Neuroradiology* 15:51-54, 1994.
7. Moriyama M, Ohashi Y, Fukushima M, Okamoto K: Central Hemangioma of the Mandible, Report of a Case. *Asian Journal of Oral Maxillofacial Surgery* 6:137-142, 1994.
8. Takahashi N: Quantifying regional cerebral blood flow with N-isopropyl-p-[ $^{123}\text{I}$ ] iodoamphetamine by ring-type single-photon emission computed tomography: Validity of a method to estimate early reference value by means of regional brain time-activity curve. *Annals of Nuclear Medicine* 8:253-258, 1994.

----1993----

1. Odano I, Tsuchiya T, Nishihara M, Sakai K, et al.: Regional cerebral blood flow measured with N-isopropyl-p-[ $^{123}\text{I}$ ] iodoamphetamine and its redistribution in ischemic cerebrovascular disease. *Stroke* 24:1167-1172, 1993.
2. Nishihara M, Oda J, Kamura T, Kimura M, Odano I, Sakai K: SPECT imaging in a case of primary respiratory tract amyloidosis. *Clinical Nuclear Medicine* 18:675-678, 1993.
3. Hinata H, Hiraoka T, Kawashima K, Sakai K: The influence of field size on dose distribution in the inhomogeneous phantom for high energy photon beams. *Jpn J Med Phys* 13:229-233, 1993.
4. Ohkubo M: Changes of  $^{31}\text{P}$ -MR spectroscopy in experimental tumors following radiotherapy combined with 5-Fluorouracil compound (UFT). *Tohoku J Exp Med* 169:215-223, 1993.
5. Tokiguchi S, Hayashi H, Takahashi H, Okamoto K, Ito J: CT of the pacchionian body. *Neuroradiology* 35:347-348, 1993.

----1992----

1. Mohiuddin Md G, Sakai K, Tsuchida E, Inakoshi H: Cancer of oropharynx developed after radiotherapy and chemotherapy for Hodgkin's disease - a case report. *Radiation Medicine* 10(1):30-33, 1992.
2. Ohkubo M, Sakai K, Fujita S, Ito T, Higuchi T, Higuchi S, Kimura M, et al.:  $^{31}\text{P}$ -MR spectroscopy of experimental tumors following irradiation. *Acta Med Biol* 40(1):29-34, 1992.

3. Odano I, Nishihara M, Ishikawa A, Hayashi H, Higuchi S, Sakai K, et al.: Regional cerebral blood flow in Parkinson's disease measured with N-isopropyl-p-[123I] iodoamphetamine (IMP) SPECT, *Acta Med Biol* 40 (3):115-121, 1992.
4. Takahashi N, Nishihara M, Odano I, Sakai K, et al.: Regional cerebral blood flow measured with 123I-IMP SPECT in a case of subcortical arteriosclerotic encephalopathy (Binswanger's disease). *Clinical Nuclear Medicine* 17:882-884, 1992.
5. Ingram DK, Garofalo P, Spangler EL, Mantione CR, Odano I: Reduced density of NMDA receptors and increased sensitivity to dizocilpine learning impairment in aged rats. *Brain Res* 580:273-280, 1992.
6. Miwa S, Gillberg PG, Bjurling P, Yumoto N, Odano I, Watanabe Y, Langstrom B: Assessment of dopamine and its metabolites in the intracellular and extracellular compartments of the rat striatum after peripheral administration of L-[11C]dopa. *Brain Res* 578(1-2):122-128, 1992.

----1978-1991----

1. Kitabatake T, Sakai K, Saito A: Expectation of aplastic anemia following radiotherapy for malignancy. *Radiology* 129(1):169-171, 1978.
2. Yamasaki M, Hara K: Local colonspasm simulating organic disease. *Acta Med Biol* 26(1):13-19, 1978.
3. Ito J et al.: Anomalous origin of the anterior inferior cerebellar arteries from the internal carotid artery. *Neuroradiology* 19(2):105-109, 1980.
4. Kitagawa T, Kakehi M, Kunieda T, Tsukiyama I, Hamada M, Inakoshi H, Sakudo M, Suemasu K, Matsumoto K, Yoneyama T, Iizuka T, Nomura K, Kawachi K: Afterloading technique for interstitial irradiation of lesions in deep-seated organs. *Radiology* 143(2):543-547, 1982.
5. Sakai K, Shiina M: Thorotrast-induced multiple primary malignant tumors of the liver - Cholangiocarcinoma and malignant hemangioendothelioma. *Jap J Clin Oncol* 14(3):411-416, 1984.
6. Inoue T, Saito M, et al.: Statistical analysis of favorable prognostic factors in allogeneic bone marrow transplantation for acute leukemia in Japan. *Jap J Clin Oncol* 14(Suppl. 1):563-571, 1984.
7. Seki H, Shiina M, Kimura M, Kamura T, Sakai K, et al.: Primary retroperitoneal mucinous cystadenocarcinoma, report of a case. *Radiation Medicine* 8(5):164-167, 1990.